



ORION[®]
HIGH PERFORMANCE CAR AUDIO
Winter-Spring 2009



SILVER ANNIVERSARY DEALER EDITION



XTR
15001



TERMS AND CONDITIONS

Payment Terms

- All prices are listed in US dollars.
- C.O.D. 5%, \$350 Minimum Order required.
- All terms and prices are subject to change without notice.
- Past due accounts will be put on Hold or terminated in accordance with the Dealer Agreement.
- All orders are subject to factory approval.
- Directed electronics is not responsible for typographical errors.

Freight Terms

Free Freight on orders of \$350 or More (Continental U.S. Only). Orders less than \$350 may be assessed a \$15.00 handling fee.
- All products are F.O.B Vista California.

Returns

- All returns must have an assigned RA number and be clearly marked on the on the outside of the shipping carton.
- All Return items must be shipped in their original-type packaging.
- All Authorized returns must be shipped freight prepaid.
- Sales receipts must accompany all warranty returns.
- Charges will apply for items missing from the product.
- Directed Electronics reserves the right to refuse exchange on products that is determined to be abused or damaged due to misuse or improper packaging or shipping.
- Directed Electronics reserves the right to either repair or replace the product return with new or refurbished product.

NOTE: Warranty does not cover labor costs for the removal and reinstallation of the unit.

Contact Information

Customer Service

Hours: Monday through Friday 7am to 6:00pm PT
Phone: 1-800-753-0600
Fax: (760) 598-6400
Email: orders@directed.com

Warranty Department:

Hours: Monday through Friday 7am to 6:00pm PT
Phone: (800) 876-0800
Fax: (760) 599-5901
E-mail: warranty@directed.com
Shipping Address: One Viper Way, Vista, CA 92081, Attention: Warranty Department

Technical Support Department:

Hours: Monday through Friday 5am to 6pm PT
Phone: (800) 753-0800
E-mail: technical@directed.com
Website: www.directechs.com



HCCA™ - MONO BLOCK AMPLIFIERS

Born in the 1980's in the dawn of the mobile audio revolution, HCCA put the industry and the competition world on notice that Orion was a force to be reckoned with. HCCA gear is what you have to have to be the LOUDEST, the LOWEST, and the STRONGEST system in the joint. The technology was transistors and massive class AB designs that stretched the length of a football field, today it's more efficient MOSFET class D designs but the outcome is still the same: serious amounts of power driving ridiculously low impedances at completely sick output levels. Whether you're looking for an SPL world record or you just want to do some serious damage on the streets, these amplifiers will ensure they hear you before they see you. Hellacious power intersects with xtreme efficiency under rugged die-cast aluminum covers, these amps even offer our patented ESP2 features.

HCCA AMPLIFIERS FEATURE:

- All MOSFET Power Supply and Output Stage
- IntelliQ Bass Optimization Circuit and Remote Gain Control
- Heavy Gauge / High Current Custom Power and Speaker Terminals
- 12/24dB / Octave Low-Pass Filter
- Remote Gain Controller Included
- Low-Level and High-Level Balanced Input
- Infrasonic Filter
- Concealed Controls Under Locking Top Panel

ORION PATENTED ESP®:

- Digitally Programmed Input Voltage for Fast, Accurate System Setup
- Input Sensitivity Lock-Out Mode - Lock the Tweakers Out!
- Turn-On Delay
- Fault and Protection Monitoring

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
HCCA50001	HCCA50001	093207061080	Class D Mono 10000 Watts Peak 1 x 1250 @ 4ohm 1 x 2500 @ 2ohm 1 x 5000 @ 1ohm	1375.00	2,499.99	45%	2,999.99	1
HCCA25001	HCCA25001	093207061073	Class D Mono 5000 Watts Peak 1 x 625 @ 4ohm 1 x 1250 @ 2ohm 1 x 2500 @ 1ohm	820.00	1,499.99	45%	1,799.99	1
HCCA10002	HCCA10002	093207061059	Linear AB 2 Ch 2000 Watts Peak 2 x 250 @ 4ohm 2 x 500 @ 2ohm 1 x 1000 @ 4ohm Bridged	415.00	749.99	45%	899.99	2
HCCA10004	HCCA10004	093207061066	Linear AB 4 Ch 2000 Watts Peak 4 x 125 @ 4ohm 4 x 250 @ 2ohm 2 x 500 @ 4ohm Bridged	495.00	899.99	45%	1,099.99	2
RGC2	RGC2	093207061097	Optional remote control for Orion Amplifiers, provides front seat control of gain level	20.00	39.99	50%	49.99	n/a



HCCA SUBWOOFERS ARE BACK - AND BADDER THAN EVER!

Orion HCCA SUBWOOFERS are the biggest, baddest and most hardcore subwoofers Orion has ever made! Step up to premium SPL performance with these frighteningly powerful new red-and-black HCCA 10s, and 4000-watt peak SPL performance with the new HCCA 12" and 15" subwoofers from Orion, a world leader in competition lane mayhem for 25 years. Match them with new HCCA Amplifiers and Components that sound as awesome as they look and you're ready for action!

HCCA SUBWOOFERS FEATURE:

- Dual 2ohm or 4ohm Copper Wound Voice Coil on an Aluminum Former
- High Temperature PAARC (Polyester Amide, Amide Resin Coated) Voice Coil
- Dual Flat Cones Spiders with Loop Stitched Tinsel Leads
- Enhanced Voice Coil Cooling Systems
- Field Replaceable Cone, Voice Coil, and Spider Assembly

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
HCCA154 HCCA152	HCCA154 HCCA152	093207061509 093207061493	4000 Watts Peak 2000 Watts RMS 15" Subwoofer Fs (Hz): 33/31 Qts: 0.6/0.59 Vas (cu ft): 2.648/2.629 Sensitivity: 30dB Mounting Hole Dia.: 15.6" Mounting Depth: 12"	375.00	749.99	50%	899.99	1
HCCA124 HCCA122	HCCA124 HCCA122	093207061486 093207061479	4000 Watts Peak 2000 Watts RMS 12" Subwoofer Fs (Hz): 36/35 Qts: 0.53 Vas (cu ft): 0.812/0.85 Sensitivity: 84dB Mounting Hole Dia.: 11.9" Mounting Depth: 10.7"	350.00	699.99	50%	799.99	1
HCCA104 HCCA102	HCCA104 HCCA102	093207061462 093207061455	3000 Watts Peak 1500 Watts RMS 10" Subwoofer Fs (Hz): 44/43 Qts: 0.48 Vas (cu ft): 0.353 Sensitivity: 84dB Mounting Hole Dia.: 9.7" Mounting Depth: 8.7"	300.00	599.99	50%	699.99	1
HCCA102CK	HCCA102CK	093207061516	Orion 10" 2 OHM Recone Kit	85.00	159.99	47%	179.99	1
HCCA104CK	HCCA104CK	093207061523	Orion 10" 4 OHM Recone Kit	85.00	159.99	47%	179.99	1
HCCA122CK	HCCA122CK	093207061530	Orion 12" 2 OHM Recone Kit	125.00	229.99	46%	249.99	1
HCCA124CK	HCCA124CK	093207061547	Orion 12" 4 OHM Recone Kit	125.00	229.99	46%	249.99	1
HCCA152CK	HCCA152CK	093207061554	Orion 15" 2 OHM Recone Kit	140.00	249.99	44%	279.99	1
HCCA154CK	HCCA154CK	093207061561	Orion 15" 4 OHM Recone Kit	140.00	249.99	44%	279.99	1



HCCA COMPONENT SPEAKERS

From Orion, a world leader in competition lane mayhem for 25 years, match the frighteningly powerful HCCA subwoofers with new HCCA Components that sound as awesome as they look and you're ready for action!

HCCA COMPONENTS FEATURE:

- Shallow Mounting Depth
- Custom Crossover with 12dB High-Pass, 6dB Low-Pass
- Tweeter Level Adjustments
- Multi-Stage Tweeter Protection
- Mid/Mid-Bass Zobel Circuit
- Customer Tweeter Mounting Kits Including Swivel
- Soft Dome Silk Tweeter

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
HCCA62	HCCA62	093207061295	120 Watts Peak 75 Watts RMS 6.5" 2-Way Component Speaker Nominal Impedance: 3 ohm Freq. Response: 45Hz-20KHz Depth: 2.2"	170.00	399.99	57%	449.99	3
HCCA52	HCCA52	093207061288	100 Watts Peak 50 Watts RMS 5.25" 2-Way Component Speaker Nominal Impedance: 4 ohm Freq. Response: 76Hz-20KHz Depth: 1.93"	148.75	349.99	57%	399.99	4
HCCA1002	HCCA1002	093207061271	120 Watts Peak 60 Watts RMS 1" Silk Dome Tweeter Kit Nominal Impedance: 4 ohm Freq. Response: 2.5K-20KHz Depth: 1"	55.25	129.99	57%	149.99	12



HCCA102BX	HCCA102BX	093207066009	Orion HCCA Single 10" Vented Enclosure 1 ohm	350.00	699.99	50%	849.99	1
HCCA122BX	HCCA122BX	093207066016	Orion HCCA Single 12" Vented Enclosure 1 ohm	400.00	799.99	50%	999.99	1



XTR™ HIGH PERFORMANCE AMPLIFIERS

Built on a reputation of quality and reliability, these amplifiers embody the true meaning of power and performance. Housed in a sleek heatsink, loaded with features and packing an xtremely powerful punch for their size, XTR amps stay true to the Orion legacy of cracked windshields and punishing SPL!

XTR AMPLIFIERS FEATURE:

- Classic Orion Industrial Design
- All MOSFET Power Supply and Output Stage
- IntelliQ Bass Optimization Circuit and Remote Gain Control (XTR5002, XTR5004)
- Heavy Gauge Direct-Wire High Current Power and Speaker Terminals
- 12dB/Octave Low-Pass Filter

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
XTR15001	XTR15001	093207061042	3000 Watts Peak Class D Mono 1 x 375 @ 4ohm 1 x 750 @ 2ohm 1 x 1500 @ 1ohm	440.00	799.99	45%	949.99	2
XTR10001	XTR10001	093207061035	2000 Watts Peak Class D Mono 1 x 250 @ 4ohm 1 x 500 @ 2ohm 1 x 1000 @ 1ohm	330.00	599.99	45%	749.99	2
XTR5001	XTR5001	093207061028	1000 Watts Peak Class D Mono 1 x 125 @ 4ohm 1 x 250 @ 2ohm 1 x 500 @ 1ohm	275.00	499.99	45%	599.99	2
XTR5004	XTR5004	093207061011	1000 Watts Peak 4 Channel with Crossover 4 x 75 @ 4ohm 4 x 125 @ 2ohm 2 x 250 @ 4ohm Bridged	275.00	499.99	45%	599.99	2
XTR2504	XTR2504	093207061004	600 Watts Peak 4 Channel with Crossover 4 x 65 @ 4ohm 4 x 75 @ 2ohm 2 x 150 @ 4ohm Bridged	165.00	299.99	45%	359.99	2
XTR5002	XTR5002	093207060991	1000 Watts Peak 2 Channel with Crossover 2 x 125 @ 4ohm 2 x 250 @ 2ohm 1 x 500 @ 4ohm Bridged	220.00	399.99	45%	479.99	2
XTR2502	XTR2502	093207060984	500 Watts Peak 2 Channel with Crossover 2 x 75 @ 4ohm 2 x 125 @ 2ohm 1 x 250 @ 4ohm Bridged	120.00	199.99	40%	239.99	2

XTR SUBWOOFERS

Here comes trouble! Orion XTR subwoofers are back on the streets, and they're ready to pound their mid-priced competition into the ground. Head to head, this is not a fight — it's a massacre!

XTR SUBWOOFERS FEATURE:

- Dual 2ohm or 4ohm Copper Wound Voice Coil on an Aluminum Former
- Custom Trim Ring
- Tinsel Leads Stitched and Looped Across Spider
- Dual Cooling System

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
XTR154	XTR154	093207061387	600 Watts Peak	100.00	199.00	50%	249.99	2
XTR152	XTR152	093207061370	300 Watts RMS 15" Subwoofer Fs (Hz): 23.0/21.4 Qts: 0.66/0.56 Vas (cu ft): 5.618/6.141 Sensitivity: 86dB/ 86.3dB Mounting Hole Dia.: 13.85" Mounting Depth: 7.3"					
XTR124	XTR124	093207061363	500 Watts Peak	75.00	149.99	50%	179.99	2
XTR122	XTR122	093207061356	250 Watts RMS 12" Subwoofer Fs (Hz): 23.7/22.4 Qts: 0.49/0.48 Vas (cu ft): 2.606/2.920 Sensitivity: 84.5dB/84.4dB Mounting Hole Dia.: 11" Mounting Depth: 6"					
XTR104	XTR104	093207061349	500 Watts Peak	65.00	129.99	50%	149.99	2
XTR102	XTR102	093207061332	250 Watts RMS 10" Subwoofer Fs (Hz): 25.3/23.4 Qts: 0.52/0.50 Vas (cu ft): 1.245/1.396 Sensitivity: 81.8dB/81.4dB Mounting Hole Dia.: 9.2" Mounting Depth: 5"					



XTR102BX	XTR102BX	093207065927	Orion XTR Single 10" Vented Enclosure 1 ohm	100.00	199.99	50%	239.99	1
XTR104BX	XTR104BX	093207065934	Orion XTR Dual 10" Vented Enclosure 1 ohm	175.00	349.99	50%	429.99	1
XTR122BX	XTR122BX	093207065941	Orion XTR Single 12" Vented Enclosure 1 ohm	125.00	249.99	50%	299.99	1
XTR124BX	XTR124BX	093207065958	Orion XTR Dual 12" Vented Enclosure 1 ohm	200.00	399.99	50%	479.99	1



XTRPRO™ SUBWOOFERS

Cruisin' the streets and hunting the competition, meet XTR's big brother! Twice the power of the XTR with all the trimmings. Born with a bad attitude and the muscle to back it up, these subs hit harder and stronger than other wanna-be players.


XTRPRO SUBWOOFERS FEATURE:

- Dual 2ohm or 4ohm Copper Wound Voice Coil on an Aluminum Former
- Custom Cast Aluminum Frame
- Custom Terminals
- Symmetrical Tuned Long-Throw Surround
- Custom Trim ring
- Tinsel Leads Stitched and Looped Across Spider
- Tri-Cooling System

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
XTRPRO154	XTRPRO154	093207061448	1000 Watts Peak	125.00	249.99	50%	299.99	1
XTRPRO152	XTRPRO152	093207061431	500 Watts RMS 15" Subwoofer Fs (Hz): 28.7/23.4 Qts: 0.73/0.61 Vas (cu ft): 3.207/3.464 Sensitivity: 85.9dB/86.3dB Mounting Hole Dia.: 13.85" Mounting Depth: 7.5"					
XTRPRO124	XTRPRO124	093207061424	1000 Watts Peak	100.00	199.99	50%	249.99	1
XTRPRO122	XTRPRO122	093207061417	500 Watts RMS 12" Subwoofer Fs (Hz): 32.3/30.5 Qts: 0.59/0.56 Vas (cu ft): 1.256/1.198 Sensitivity: 84.4dB/83.7dB Mounting Hole Dia.: 11" Mounting Depth: 6.5"					
XTRPRO104	XTRPRO104	093207061400	1000 Watts Peak	90.00	179.99	50%	229.99	2
XTRPRO102	XTRPRO102	093207061394	500 Watts RMS 10" Subwoofer Fs (Hz): 32.1/28.0 Qts: 0.49/0.44 Vas (cu ft): .587/.681 Sensitivity: 81.9dB/81.3dB Mounting Hole Dia.: 9" Mounting Depth: 5.9"					



XTRPRO102BX	XTRPRO102BX	093207065965	Orion XTRPRO Single 10" Vented Enclosure 1 ohm	140.00	279.99	50%	349.99	1
XTRPRO104BX	XTRPRO104BX	093207065972	Orion XTRPRO Dual 10" Vented Enclosure 1 ohm	275.00	549.99	50%	679.99	1
XTRPRO122BX	XTRPRO122BX	093207065989	Orion XTRPRO Single 12" Vented Enclosure 1 ohm	165.00	329.99	50%	399.99	1
XTRPRO124BX	XTRPRO124BX	093207065996	Orion XTRPRO Dual 12" Vented Enclosure 1 ohm	300.00	599.99	50%	749.99	1



XTR COMPONENT SPEAKERS

Keeping their cool when the music heats up, these speakers show no mercy. Custom crossover with protection and selectable tweeter levels lets you own the competition.

XTR COMPONENTS FEATURE:

- Silk Soft Dome Tweeters with Surface and Flush Mounting Hardware
- UV Coated / Fiber Blended Cones
- Custom Crossover with Protection and Selectable Tweeter Levels

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
XTR62	XTR62	093207061264	120 Watts Peak 60 Watts RMS 6.5" 2-Way Component Speaker Nominal Impedance: 4 ohm Freq. Response: 75Hz-22KHz Depth: 2"	97.75	229.99	57%	279.99	4
XTR52	XTR52	093207061257	100 Watts Peak 50 Watts RMS 5.25" 2-Way Component Speaker Nominal Impedance: 4 ohm Freq. Response: 80Hz-22KHz Depth: 2.29"	80.75	189.99	57%	229.99	4
XTR1002	XTR1002	093207061240	120 Watts Peak 60 Watts RMS 1" Tweeter Kit with Crossover Nominal Impedance: 4 ohm Freq. Response: 1.5K-20KHz Depth: 1"	42.50	99.99	57%	119.99	8



XTR COAXIALS

XTR coaxials offer the renowned Orion performance in easy to install standard frame sizes. Featuring positionable silk soft dome tweeters, these speakers pack a punch in a tight hardcore package.

XTR COAXIALS FEATURE:

- Positionable Silk Soft Dome Tweeters
- UV Coated / Fiber Blended Cones
- Universal Fit Baskets

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
XTR693	XTR693	093207061233	180 Watts Peak 100 Watts RMS 6"x9" Coaxial Speaker Freq. Response: 55Hz-22KHz Sensitivity: 89dB Depth: 3.23"	63.75	149.99	57%	179.99	2
XTR652	XTR652	093207061226	120 Watts Peak 60 Watts RMS 6.5" Coaxial Speaker Freq. Response: 85Hz-22KHz Sensitivity: 86dB Depth: 2.01"	55.25	129.99	57%	149.99	8
XTR602	XTR602	093207061219	100 Watts Peak 50 Watts RMS 6" Coaxial Speaker Freq. Response: 85Hz-22KHz Sensitivity: 86dB Depth: 1.75"	51.00	119.99	57%	139.99	6
XTR572	XTR572	093207061202	100 Watts Peak 50 Watts RMS 5"x7" Coaxial Speaker Freq. Response: 80Hz-22KHz Sensitivity: 89dB Depth: 2.17"	51.00	119.99	57%	139.99	8
XTR522	XTR522	093207061196	100 Watts Peak 50 Watts RMS 5.25" Coaxial Speaker Freq. Response: 85Hz-22KHz Sensitivity: 86dB Depth: 2.28"	42.50	99.99	57%	119.99	6
XTR462	XTR462	093207061189	80 Watts Peak 50 Watts RMS 4"x6" Coaxial Speaker Freq. Response: 90Hz-22KHz Sensitivity: 86dB Depth: 1.89"	42.50	99.99	57%	119.99	8
XTR402	XTR402	093207061172	80 Watts Peak 50 Watts RMS 4" Coaxial Speaker Freq. Response: 120Hz-22KHz Sensitivity: 86dB Depth: 1.89"	34.00	79.99	57%	99.99	8



COBALT™ AMPLIFIERS

Resurrected...Cobalt's back...and coming after the other would-be players. Orion Cobalt is designed to hit those entry level price points – and hit them a whole lot harder! With more bass in their face, and more hard pounding watts for your customer's hard-earned dollar! Get a piece of the Orion legacy without breakin' the bank – with COBALT.

Cobalt amplifiers feature flexible frontends with variable x-overs, selectable bass boost, remote bass gain control (remote included on mono amplifiers), all poured into a small sleek and sexy industrial design...Tons of clean power packed in a small package.

COBALT AMPLIFIERS FEATURE:

- Small Proprietary Orion Industrial Design with Illuminated Design Detail
- High-Level Inputs with Auto Turn-On Circuit
- Flexible Frontends to Accommodate a Variety of System Configurations
- Excellent Small Signal Parameters

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
CO3002	CO3002	093207060939	300 Watts Peak 2 Channel with Crossover 2 x 55 @ 4ohm 2 x 75 @ 2ohm	65.00	*99.99	35%	129.99	4
CO6002	CO6002	093207060946	600 Watts Peak 2 Channel with Crossover 2 x 100 @ 4ohm 2 x 150 @ 2ohm	93.50	169.99	45%	199.99	3
CO6004	CO6004	093207060953	600 Watts Peak 4 Channel with Crossover 4 x 60 @ 4ohm 4 x 75 @ 2ohm	110.50	199.99	45%	239.99	3
CO5001	CO5001	093207060960	500 Watts Peak 2Ω Stable with Crossover 1 x 175 @ 4ohm 1 x 250 @ 2ohm	99.50	179.99	45%	229.99	3
CO8001	CO8001	093207060977	800 Watts Peak 2Ω Stable with Crossover 1 x 300 @ 4ohm 1 x 400 @ 2ohm	120.00	219.99	45%	269.99	3

* estimated MAP ONLY



COBALT SUBWOOFERS

Who knew that entry level subwoofers could perform like this... These woofers will absolutely blow your mind. With a bumped back plate, extended pole piece, double stacked magnets, high roll surround that give an astounding 10.25mm of Xmax.

COBALT SUBWOOFERS FEATURE:

- Reversible Top Gasket
- Large Copper Wound Kapton Voice Coil
- Autotension Push Terminals
- Flat Conex Spider with Loop Stitched Tinsel Leads

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
CO154S	CO154S	093207061325	600 Watts Peak 250 Watts RMS 15" Subwoofer Fs (Hz): 25.2 Qts: 0.47 Vas (cu ft): 7.098 Sensitivity: 89.9dB Mounting Hole Dia.: 13.82" Mounting Depth: 6.46"	55.00	99.99	45%	129.99	2
CO124S	CO124S	093207061318	500 Watts Peak 200 Watts RMS 12" Subwoofer Fs (Hz): 38 Qts: 0.49 Vas (cu ft): 4.017 Sensitivity: 87.2dB Mounting Hole Dia.: 10.91" Mounting Depth: 5.51"	44.00	79.99	45%	99.99	2
CO104S	CO104S	093207061301	400 Watts Peak 200 Watts RMS 10" Subwoofer Fs (Hz): 39.2 Qts: 0.57 Vas (cu ft): 1.080 Sensitivity: 86.1dB Mounting Hole Dia.: 9.23" Mounting Depth: 5.12"	36.00	*59.99	40%	79.99	2

* estimated MAP ONLY



COBALT COMPONENTS

Speaker tuned for maximum performance whether powered from a head unit or an amplifier, you'll get the sound you just gotta have. With the recessed tweeters and the universal baskets these speakers can be dropped into almost any vehicle.

COBALT COMPONENTS FEATURE:

- Progressive Suspension
- 1" Voice Coil (Mid-Range Driver)
- Surface or Flush Mounting Options
- Metalized Poly Dome Tweeter
- Built-In Tweeter Protection Circuit

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
CO652	CO652	093207061165	120 Watts Peak 50 Watts RMS 6.5" 2-Way Component Speaker Nominal Impedance: 4 ohm Freq. Response: 60Hz-20KHz Depth: 2.36"	40.00	79.99	50%	99.99	6
CO552	CO552	093207061158	100 Watts Peak 40 Watts RMS 5.25" 2-Way Component Speaker Nominal Impedance: 4 ohm Freq. Response: 120Hz-20KHz Depth: 1.97"	35.00	69.99	50%	89.99	6



CO104SBX	CO104SBX	093207065880	Orion Cobalt Single 10" Vented Enclosure 2 ohm	75.00	149.99	50%	179.99	1
CO104DBX	CO104DBX	093207065897	Orion Cobalt Dual 10" Vented Enclosure 2 ohm	140.00	279.99	50%	349.99	1
CO124SBX	CO124SBX	093207065903	Orion Cobalt Single 12" Vented Enclosure 2 ohm	100.00	199.99	50%	239.99	1
CO124DBX	CO124DBX	093207065910	Orion Cobalt Dual 12" Vented Enclosure 2 ohm	165.00	329.99	50%	399.99	1



COBALT COAXIALS

Speaker tuned for maximum performance whether powered from a head unit or an amplifier, you'll get the sound you just gotta have. With the recessed tweeters and the universal baskets these speakers can be dropped into almost any vehicle.

COBALT COAXIALS FEATURE:

- Progressive Suspension
- 1" Voice Coil (Mid-Range Driver)
- Positionable Tweeters (Except CO600)
- Built-In Tweeter Protection Circuit

Part #	Model	UPC Code	Description	Dealer Price	MAP	Dealer Margin %	MSRP	M/C Qty.
CO690	CO690	093207061141	130 Watts Peak 60 Watts RMS 6"x9" Coaxial Speaker Nominal Impedance: 4 ohm Freq. Response: 63Hz-20KHz Sensitivity: 88.8dB Depth: 2.95"	35.00	69.99	50%	89.99	4
CO650	CO650	093207061134	120 Watts Peak 50 Watts RMS 6.5" Coaxial Speaker Nominal Impedance: 4 ohm Freq. Response: 62Hz-20KHz Sensitivity: 85.2dB Depth: 2.36"	25.00	49.99	50%	59.99	6
CO600	CO600	093207061127	100 Watts Peak 40 Watts RMS 6" Coaxial Speaker Nominal Impedance: 4 ohm Freq. Response: 100Hz-20KHz Sensitivity: 88.3dB Depth: 1.73"	22.50	44.99	50%	54.99	6
CO570	CO570	093207061110	100 Watts Peak 40 Watts RMS 5"x7" Coaxial Speaker Nominal Impedance: 4 ohm Freq. Response: 98Hz-20KHz Sensitivity: 87.9dB Depth: 2.32"	22.50	44.99	50%	54.99	6
CO500	CO500	093207061103	100 Watts Peak 40 Watts RMS 5.25" Coaxial Speaker Nominal Impedance: 4 ohm Freq. Response: 110Hz-20KHz Sensitivity: 87.1dB Depth: 1.97"	24.00	*39.99	40%	44.99	6

* estimated MAP ONLY

Part #	UPC Code	Description	Sheet Price
Amp Kits			
Complete Kits			
ORKC8X	093207064890	Power Kit 8 AWG Single Amp / CEA Spec - 16ft of 8AWG Power Wire - 3ft of 8AWG Ground Wire - 16ft of Remote Wire - 16ft of 18AWG Speaker Wire - 16ft Pro RCA Side/Side Twisted Pair - 60 Amp MAXI Fuse holder - 60 Amp Fuse	\$45.00
ORKC4X	093207064906	Complete Kit 4 AWG Single Amp / CEA Spec - 16ft of 4AWG Power Wire - 3ft of 4AWG Ground Wire - 16ft of Remote Wire - 16ft of 18AWG Speaker Wire - 16ft Pro RCA Side/Side Twisted Pair - 100 Amp MAXI Fuse holder - 100 Amp Fuse	\$75.00
ORKC4P2	093207064913	Power Kit 4 AWG Dual Amp / CEA Spec - 16ft of 4AWG Power Wire - 3ft of 4AWG Ground Wire - 6ft 8AWG Power Wire - 6ft 8AWG Ground Wire - 16ft of 18AWG Speaker Wire (2) 16ft Pro RCA Side/Side Twisted Pair - 16ft of Remote Wire - Distribution Block - Dual Mini ANL Fuse holder - 100 Amp Fuse	\$80.00
Power / Interconnect Kits			
ORK8	093207064920	Power Kit 8 AWG Single Amp / CCA Spec - 16ft of 8AWG Power Wire - 3ft of 8AWG Ground Wire - 16ft RCA Side/Side Twisted Pair - 16ft of Remote Wire - 30 Amp Mini ANL Fuse holder - 30 Amp Fuse	\$20.00
ORK82	093207064937	Power Kit 8 AWG Dual Amp / CCA Spec - 16ft of 8AWG Power Wire - 3ft of 8AWG Ground Wire - 6ft 10AWG Power Wire - 6ft 10AWG Ground Wire - (2) 16ft RCA Side/Side Twisted Pair - 16ft of Remote Wire - Dual Mini ANL Fuse holder - (2) 30 Amp Fuse	\$40.00
ORK4	093207064944	Power Kit 4 AWG Single Amp / CCA Spec - 16ft of 4AWG Power Wire - 3ft of 4AWG Ground Wire - 16ft RCA Side/Side Twisted Pair - 16ft of Remote Wire - 60 Amp Mini ANL Fuse holder - 60 Amp Fuse	\$45.00
ORK42	093207064951	Power Kit 4 AWG Dual Amp / CCA Spec - 16ft of 4AWG Power Wire - 3ft of 4AWG Ground Wire - 6ft 8AWG Power Wire - 6ft 8AWG Ground Wire - (2) 16ft RCA Side/Side Twisted Pair - 16ft of Remote Wire - Dual Mini ANL Fuse holder - (2) 60 Amp Fuse	\$60.00

Part #	UPC Code	Description	Sheet Price
Power Kits			
ORKC8P	093207064968	Power Kit 8 AWG Single Amp / CEA Spec - 16ft of 8AWG Power Wire - 3ft of 8AWG Ground Wire - 16ft of Remote Wire - 60 Amp MAXI Fuse holder - 60 Amp Fuse	\$30.00
ORKC4P	093207064975	Power Kit 4AWG Single Amp / CEA Spec - 16ft of 4AWG Power Wire - 3ft of 4AWG Ground Wire - 16ft of Remote Wire - 100 Amp Maxi Fuse holder - 100 Amp Fuse	\$60.00
ORKC1	093207064982	Power Kit 1/0 AWG Single Amp / CEA Spec - 16ft of 1/0AWG Power Wire - 3ft of 1/0AWG Ground Wire - 16ft of Remote Wire - ANL Fuse holder - 200 Amp ANL Fuse	\$110.00

Interconnects

Adapters			
ORCMM	093207064999	RCA Male-Male	\$2.00
ORCRMf	093207065002	RCA Right Angle Male - Female	\$2.50
ORCFF	093207065019	RCA Female - Female	\$3.00



2 Channel RCA's			
ORC3	093207065026	3ft RCA Side/Side Twisted Pair	\$3.00
ORC12	093207065033	12ft RCA Side/Side Twisted Pair	\$4.25
ORC16	093207065040	16ft RCA Side/Side Twisted Pair	\$4.50

2 Channel Pro Series RCA's			
ORCP	093207065057	1.5ft PRO Series RCA Side/Side Twisted Pair	\$5.50
ORCPR	093207065064	1.5ft PRO Series Right Angle RCA Side/Side Twisted Pair	\$5.50
ORC3P	093207065071	3ft PRO Series RCA Side/Side Twisted Pair	\$6.25
ORC3PR	093207065088	3ft PRO Series Right Angle RCA Side/Side Twisted Pair	\$6.25
ORC12P	093207065095	12ft PRO Series RCA Side/Side Twisted Pair	\$9.50
ORC12PR	093207065101	12ft PRO Series Right Angle RCA Side/Side Twisted Pair	\$9.50
ORC16P	093207065118	16ft PRO Series RCA Side/Side Twisted Pair	\$10.00
ORC16PR	093207065125	16ft PRO Series Right Angle RCA Side/Side Twisted Pair	\$10.00

6 Channel Pro Series RCA's			
ORCP4	093207065132	1.5ft PRO Series RCA Side/Side Twisted Pair	\$9.00
ORC3P4	093207065149	3ft PRO Series RCA Side/Side Twisted Pair	\$10.00

Part #	UPC Code	Description	Sheet Price
ORC12P4	093207065156	12ft PRO Series RCA Side/Side Twisted Pair	\$16.00
ORC16P4	093207065163	16ft PRO Series RCA Side/Side Twisted Pair	\$18.00
2 Channel Expert Series RCA's			
ORCE	093207065170	1.5ft Expert Series RCA Side/Side Twisted Pair	\$13.50
ORC3E	093207065187	3ft Expert Series RCA Side/Side Twisted Pair	\$14.50
ORC12E	093207065194	12ft Expert Series RCA Side/Side Twisted Pair	\$20.00
4 Channel Expert Series RCA's			
ORC16E	093207065200	16ft Expert Series RCA Side/Side Twisted Pair	\$22.00
ORC34	093207065217	1.5ft Expert Series RCA Side/Side Twisted Pair	\$22.00
ORC3E4	093207065224	3ft Expert Series RCA Side/Side Twisted Pair	\$24.00
ORC12E4	093207065231	12ft Expert Series RCA Side/Side Twisted Pair	\$30.00
ORC16E4	093207065248	16ft Expert Series RCA Side/Side Twisted Pair	\$32.00

6 Channel Expert Series RCA's			
ORC16E6	093207065255	16ft Expert Series RCA Side/Side Twisted Pair	\$45.00

Video Cables			
ORV	093207065262	1.5ft Video Cable 75ohm	\$5.50
ORV3	093207065279	3ft Video Cable 75ohm	\$6.00
ORV10	093207065286	10ft Video Cable 75ohm	\$8.50
ORV16	093207065293	16ft Video Cable 75ohm	\$10.00

Hardware

Battery Terminals			
ORBGM	093207065309	Battery Terminal GM	\$3.50
ORBGMS	093207065316	Battery Terminal GM Short	\$4.25
ORBGML	093207065323	Battery Terminal GM Long	\$4.50
ORB	093207065330	Battery Terminal +/-	\$7.50
ORBP	093207065347	Battery Terminal +/- (Premium)	\$16.00



Fuse Holders			
ORFMANL	093207065354	Fuse Holder Single Mini ANL	\$5.00
ORFDMANL	093207065361	Fuse Holder Dual Mini ANL	\$8.00
ORFANL14	093207065378	Fuse Holder ANL 1/0AWG with 4AWG reducer in/out	\$12.00



Distribution Blocks			
ORD48	093207065385	Distribution Block (1) 4 AWG in - (4) 8AWG out	\$7.00
ORD14	093207065392	Distribution block (1) 1/0AWG in (4) 4AWG out	\$12.00



Part #	UPC Code	Description	Sheet Price
Crimp Rings			
ORT8	093207065408	Crimp Rings 8AWG	\$2.50
ORT1	093207065415	Crimp Rings 1/0AWG	\$3.00
ORT4	093207065422	Crimp Rings 4AWG	\$3.00
ORG4	093207065439	Ground Ring 4AWG	\$4.50
ORG1	093207065446	Ground Ring 1/0AWG	\$5.50
Capacitors			
ORC1	093207065453	Capacitor 1 farad w/Distribution Top	\$65.00
ORC1D	093207065460	Capacitor 1 farad digital w/Distribution top	\$95.00
ORC2D	093207065477	Capacitor 2 farad digital w/distribution top	\$130.00
ORC5V	093207065484	Capacitor 5 farad w/ Volt Meter	\$180.00
ORC10V	093207065491	Capacitor 10 farad w/ Volt Meter	\$210.00
Electronics			
ORRPA	093207065507	Remote Power Adapter	\$6.00
ORSRA	093207065514	Speaker Level to RCA Adapter	\$7.50
ORGLI50	093207065521	Ground Loop Isolator 50watt	\$8.50
ORGLI100	093207065538	Ground Loop Isolator 100watt	\$8.50
ORLOC60	093207065545	Adjustable Line Output Converter 60watt	\$10.00
Wire			
Speaker Wire			
ORW1620	093207065552	20ft Roll 18AWG Speaker Wire Frosted Blue / CCA Spec	\$7.00
ORW16	093207065569	500ft Spool 16AWG Speaker Wire Frosted Blue / CCA Spec	\$65.00
ORW12	093207065576	250ft Spool 12AWG Speaker Wire Frosted Blue / CCA Spec	\$75.00
ORWC12	093207065583	250ft Spool 12AWG Speaker Wire Frosted Blue / CEA Spec	\$120.00
ORW9	093207065590	100ft Spool 9 Wire Install Cable / CEA Spec	\$120.00
ORWC16	093207065606	500ft Spool 16AWG Speaker Wire Frosted Blue / CCA Spec	\$120.00
Power / Ground Wire			
ORW8B	093207065613	250ft Spool 8AWG Frosted Blue / CCA Spec	\$85.00
ORW8G	093207065620	250ft Spool 8AWG Frosted Black / CCA Spec	\$85.00
ORW4B	093207065637	100ft Spool 4AWG Frosted Blue / CCA Spec	\$85.00
ORW4G	093207065644	100ft Spool 4AWG Frosted Black / CCA Spec	\$85.00
ORWC4R	093207065651	100ft Spool 4AWG Frosted Red / CEA Spec	\$140.00



Part #	UPC Code	Description	Sheet Price
Power / Ground Wire (continued)			
ORWC4G	093207065668	100ft Spool 4AWG Frosted Black / CEA Spec	\$140.00
ORWC8R	093207065675	250ft Spool 8AWG Frosted Red / CEA Spec	\$165.00
ORWC8G	093207065682	250ft Spool 8AWG Frosted Black / CEA Spec	\$165.00
ORWC1R	093207065699	50ft Spool 1/0AWG Frosted Red / CEA Spec	\$175.00
ORWC1G	093207065705	50ft Spool 1/0 AWG Frosted Black / CEA Spec	\$175.00
Fuses			
ORFMA30	093207065712	Fuse Mini ANL 30AMP 4 Pack	\$3.00
ORFMA40	093207065729	Fuse Mini ANL 40AMP 4 Pack	\$3.00
ORFMA50	093207065736	Fuse Mini ANL 50AMP 4 Pack	\$3.00
ORFMA60	093207065743	Fuse Mini ANL 60AMP 4 Pack	\$3.00
ORFMA70	093207065750	Fuse Mini ANL 70AMP 4 Pack	\$3.00
ORFMA80	093207065767	Fuse Mini ANL 80AMP 4 Pack	\$3.00
ORFMA100	093207065774	Fuse Mini ANL 100AMP 4 Pack	\$3.00
ORFMA120	093207065781	Fuse Mini ANL 120AMP 4 Pack	\$3.00
ORFA100	093207065798	Fuse ANL 100AMP 2 Pack	\$3.00
ORFA120	093207065804	Fuse ANL 120AMP 2 Pack	\$3.00
ORFA150	093207065811	Fuse ANL 150AMP 2 Pack	\$3.00
ORFA200	093207065828	Fuse ANL 200AMP 2 Pack	\$3.00
ORFM30	093207065835	Fuse MAXI 30AMP 4 PACK	\$4.50
ORFM40	093207065842	Fuse MAXI 40AMP 4 PACK	\$4.50
ORFM50	093207065859	Fuse MAXI 50AMP 4 PACK	\$4.50
ORFM60	093207065866	Fuse MAXI 60AMP 4 PACK	\$4.50
ORFM70	093207065873	Fuse MAXI 70AMP 4 PACK	\$4.50

Visit us online:
www.orioncaraudio.com
www.directeddealers.com

Customer Service:
800.753.0600

Direct Fax:
800.999.1329

Main Toll Free:
800.876.0800

Tech Support:
800.753.0800

Fax Orders:
800.477.1390

